Annual Maintenan	ce Record Cou	ipon
he following maintenance records identifying the	ne date, descriptio	n of UNIT, and services performed.
☐ Inspect roof and seal roof where necessary.		
Inspect axles and hub, lube where necessary.		
Inspect furnace – clean blower, combustion chamber, control compartment (remove any dust, lint, obstructions) as necessary, test gas line for leaks.		
Inspect hot water heater – flush holding tank, manually operate pressure temperature relief valve, clean burner		
tube (as outlined by the manufacturer) as necessary.		
Inspect suspension and lubricate where neces	sary – grease front	and rear suspension components, including,
but not limited to, axle bearings, tie rods, control arms, and brake camshaft brackets (motorhomes only).		
me:	Agreement Nun	nber:
ess:	Date Mailed:	
e Number:	Notes:	
l Address:		
Mail, email, upload or fax all documents within 30 days of the anniversary date of the AGREEMENT DATE each year to keep your SERVICE CONTRACT valid. Failure to do so will result in denial of coverage and YOUR SERVICE CONTRACT will be void. YOU will receive an email verifying receipt of maintenance information within 7 days. If not, please call 1-800-810-8458.		
AN Inc.	mail to:	RVWarrantyForever@nwan.com
Box 30308	ax to:	1-440-879-0532
reland, Ohio 44130	Jse OUR app:	"naenwan connect" (iTunes/Google Play)
Reminder: All maintenance must be performed by a professional repair facility.		
TO REQUEST MORE, COUPONS CALL 1-800-810-8458 OR CONTACT YOUR SELLING DEALER		
	Inspect roof and seal roof where necessary. Inspect axles and hub, lube where necessary. Inspect furnace – clean blower, combustion cha as necessary, test gas line for leaks. Inspect hot water heater – flush holding tank, received the two discountined by the manufacturer) as neces but not limited to, axle bearings, tie rods, control me: To REQUEST MORE, COUP	Inspect axles and hub, lube where necessary. Inspect furnace – clean blower, combustion chamber, control com as necessary, test gas line for leaks. Inspect hot water heater – flush holding tank, manually operate p tube (as outlined by the manufacturer) as necessary. Inspect suspension and lubricate where necessary – grease front but not limited to, axle bearings, tie rods, control arms, and brake me: Agreement Numbers: I Address: Date Mailed: Notes: I Address: Oad or fax all documents within 30 days of the anniversary date on the control of coverage and email verifying receipt of maintenance information within 7 days. AN Inc. Email to: Box 30308 Fax to: Use OUR app: Inspect surley a professional repair facility.

Date Received by ADMINISTRATOR: Date Maintenance Recorded in System: Verified or Changed Customer Address: N/A YES NO Verified or Changed Customer Email & Phone Number: N/A YES NO

NOTES:

This manual has been provided courtesy of My RV Works, Inc.

www.myrvworks.com



You can find more RV service manuals here:

www.myrvworks.com/manuals

Over the years of running a mobile RV repair service, having a dedicated place to access service manuals for all the different appliances and components found on RVs was something that I always had a desire to create.

I hope this resource makes your RV repairs easier, as it has mine, but please be careful and follow proper safety practices when attempting to repair your own RV.

If in doubt, please consult with a professional RV technician!

DARREN KOEPP - OWNER, MY RV WORKS, INC.

All service manuals provided on www.myrvworks.com are believed to be released for distribution and/or in the public domain.