



HYDRAULIC FLUID FLOW AND PRESSURE THEORY

HWH CORPORATION

(On I-80, Exit 267 South)

2096 Moscow Road | Moscow, Iowa 52760

Ph: 800/321-3494 (or) 563/724-3396 | Fax: 563/724-3408

www.hwh.com

COMPRESSIBILITY

For simple hydraulic design it can be assumed oil is incompressible, however the compressibility and density of oil is a factor in sophisticated hydraulic components. Bulk modulus is a measure of incompressibility. The higher the bulk modulus the less compressible or stiffer the fluid.

Mathematically the bulk modulus is defined by $\beta = -V\left(\frac{\Delta P}{\Delta V}\right)$ where: β = bulk modulus (psi)
 V = original volume (in.³)
 ΔP = change in pressure (psi)
 ΔV = change in volume (in.³)

The bulk modulus of an oil changes somewhat with pressure and temperature, but within the operating ranges in most fluid power systems, this factor can be neglected. A typical value for oil is 250,000 psi.

EXAMPLE:

A 10-in.³ sample of oil is compressed in a cylinder until its pressure is increased from 100 to 2000 psi. If the bulk modulus equals 250,000 psi. find the change of volume of the oil.

SOLUTION: To solve for ΔV , we have: $\Delta V = -V\left(\frac{\Delta P}{\beta}\right) = -10\left(\frac{1900}{250,000}\right) = -0.076 \text{ in.}^3$

This represents only a 0.76% decrease in volume, which shows that the oil is highly incompressible.

PRESSURE WAVES

Another important consequence of the compressibility of fluids is that disturbances introduced at some point in the fluid propagate at a finite velocity. For example, if a fluid is flowing in a pipe and a valve at the outlet is suddenly closed (thereby creating a localized disturbance) the effect of the valve closure is not felt instantaneously upstream. It takes a finite time for the increased pressure created by the valve closure to propagate to an upstream location. The speed of sound or the speed of a pressure wave in oil is approximately 4200 feet per second. The speed of sound varies with temperature and density. The following are typical wave speeds for comparative purposes only:

SPEED OF SOUND IN OIL	4200 FEET PER SECOND
SPEED OF SOUND IN WATER	4780 FEET PER SECOND
SPEED OF SOUND IN AIR	1200 FEET PER SECOND
SPEED OF LIGHT	186,000 MILES PER SECOND

This manual has been provided courtesy of
My RV Works, Inc.

www.myrvworks.com



You can find more RV service manuals here:

www.myrvworks.com/manuals

Over the years of running a mobile RV repair service, having a dedicated place to access service manuals for all the different appliances and components found on RVs was something that I always had a desire to create.

I hope this resource makes your RV repairs easier, as it has mine, but please be careful and follow proper safety practices when attempting to repair your own RV.

If in doubt, please consult with a professional RV technician!



DARREN KOEPP - OWNER, MY RV WORKS, INC.

All service manuals provided on www.myrvworks.com are believed to be released for distribution and/or in the public domain.