

MSDS PFA631B7050
MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II
Product code: PFA631B7050
Product date: SEP 23 2009 Print date: 03/25/11 Page 1

Section 1 - Product and Company Identification
Product Name: FF SUPER SILVER II

Company Identification: DuPont Powder Coatings
9800 Genard Rd
Houston, TX 77041-7624

Telephone/Fax: 713.939.4000 / 713.939.4025
Chemtrec International (24hr): 703.527.3887 Collect
Chemtrec USA (24hr): 800.424.9300
Medical Emergency 800.441.3637

Product Class: Coating Powder
Product Number: PFA631B7

Section 2 - Ingredient Information

Ingredient Name	CAS Number	Percent
1,3,5-Triglycidyl Isocyanurate	002451-62-9	3 - 7
ALUMINUM, AS METAL	007429-90-5	3 - 7
NUISANCE DUST	N/A	As generated

Section 3 - Hazards Identification

Potential Health Hazards (powder mixture).
May cause skin and eye irritation. May cause irritation of the upper respiratory tract (nose, mouth and/or throat), resulting in sneezing coughing and sore throat. Long-term respiratory exposure exceeding exposure limits may damage the lungs, leading to impairment of lung capacity.
The acute and chronic health effect statements below are for the pure chemicals only, unless noted.

ACUTE HEALTH EFFECTS:

MSDS

PFA631B7050

MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II

Product code: PFA631B7050

Product date: SEP 23 2009

Print date: 03/25/11

Page 2

(1,3,5-Triglycidyl Isocyanurate)

INGESTION: Moderately toxic. Symptoms are not fully known, may include loss of appetite and nose bleeding. INHALATION: Irritating to upper respiratory tract. May cause nosebleeds. EYE CONTACT: Irritating. SKIN CONTACT: Irritating. Can be absorbed through the skin in harmful amounts. Effects similar to ingestion.

A COMMERCIAL POLYESTER POWDER MIXTURE CONTAINING 5% TGIC WAS TESTED IN RATS (SAFEHARM (UK) 1998) FOR ACUTE ORAL TOXICITY WITH THE FOLLOWING RESULTS:

LD50:>5000 mg/Kg (m/f)

(ALUMINUM, AS METAL)

INHALATION: Dust may be irritating to the upper respiratory tract.

CHRONIC HEALTH EFFECTS:

(1,3,5-Triglycidyl Isocyanurate)

Irritation of eyes, skin and respiratory tract; loss of appetite, may cause nosebleeds; toxic by ingestion and if absorbed through the skin. Prolonged or repeated contact may cause skin sensitization. TGIC has shown mutagenic activity in laboratory cells culture test and laboratory animals. Based on those studies, TGIC has been classified as "Possible Human Germ Cell Mutagen", and capable of causing permanent heritable damage in reproductive cells on humans. Overexposure can result in toxic effects on liver and lungs.

(ALUMINUM, AS METAL)

Not generally regarded as an industrial poison. Cases of fibrosis of the lungs have been reported due to breathing aluminum dust but these are not usually found outside of mining and metal production.

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY OVEREXPOSURE:

(1,3,5-Triglycidyl Isocyanurate)

Respiratory illness & dermatitis may be aggravated by excessive exposure.

PRIMARY ROUTES OF ENTRY:

Inhalation, Dermal, or Ingestion

Section 4 - First Aid Measures

EYE CONTACT

Flush eyes with cool water for 15 minutes, occasionally lifting lids to ensure thorough rinsing. Seek medical assistance.

SKIN CONTACT

Wash thoroughly with soap and water.

MSDS PFA631B7050
MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II
Product code: PFA631B7050
Product date: SEP 23 2009 Print date: 03/25/11 Page 3

INHALATION

Remove from area to fresh air.

INGESTION

If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

Section 5 - Fire Fighting Measures
MEC >= 26g/m3 (see sec. 16)

EXTINGUISHING MEDIA

FOAM CO2 DRY CHEMICAL WATER FOG DRY SAND

FIRE FIGHTING INSTRUCTIONS

Use fully protective equipment with self-contained breathing apparatus. The material has a flammability rating similar to a water-borne coating. Dust generated from this product during handling may create a fire and/or explosion hazard. Minimize dusting during use. Keep all equipment clean and properly grounded to avoid static electricity discharge.

Section 6 - Accidental Release Measures

CLEAN-UP

Clean up spills using an explosion-proof vacuum cleaner, then dispose in accordance with local, state and federal regulations. Avoid sweeping and dust cloud formation.

Section 7 - Handling and Storage

HANDLING

Keep all equipment clean and properly grounded to avoid static electricity discharge. Keep work areas free of dust. Avoid excessive skin contact. Do not ingest or inhale. Keep out of the reach of children.

STORAGE

Keep containers sealed and avoid static electricity discharges.

Section 8 - Exposure Controls / Personal Protection

Occupational Exposure Limits

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

MSDS PFA631B7050
MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II

Product code: PFA631B7050

Product date: SEP 23 2009

Print date: 03/25/11

Page 4

1,3,5-Triglycidyl Isocyanurate

0.05 mg/M3	N/A	N/A	N/A	N/A
------------	-----	-----	-----	-----

ALUMINUM, AS METAL

10.00 mg/M3	N/A	N/A	N/A	15.00 mg/M3
-------------	-----	-----	-----	-------------

NUISANCE DUST

10.00 mg/M3	N/A	N/A	N/A	N/A
-------------	-----	-----	-----	-----

ENGINEERING CONTROLS

Provide sufficient ventilation in volume and pattern to keep air contamination concentration below applicable OSHA permissible exposure levels or ACGIH's TLV TWA limit.

RESPIRATORS

Use properly fitted NIOSH/MSHA approved gas & vapor respirators, or conventional respirators, or negative pressure respirators or particulate respirators, or FFR (filtering facepiece respirator) to avoid breathing dust.

OTHER CLOTHING

PROTECTIVE GLOVES: Impervious disposable gloves (like nitrile) are recommended.

EYE PROTECTION: Goggles or safety glasses w/side shields recommended.

OTHER PROTECTIVE EQUIPMENT: Protective overalls recommended. Remove and wash soiled clothing.

Section 9 - Physical and Chemical Properties

Spec. Grav., ASTM D5965-96,C:1.25

Section 10 - Stability and Reactivity

Stability: This product is stable

Hazardous Polymerization: Hazardous polymerization will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Fumes may contain CO, CO₂, NO₂ or other Nitrogen compounds.

Section 11 - Toxicological Information

Route	Species	Exposure and Dose
1,3,5-Triglycidyl Isocyanurate Oral	Rat, adult	LD50 440. mg/kg

MSDS PFA631B7050
MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II
Product code: PFA631B7050
Product date: SEP 23 2009 Print date: 03/25/11 Page 5

Section 12 - Ecological Information

None known

Section 13 - Disposal Considerations

Manage or dispose in accordance with local, state and federal regulations.

Section 14 - Transport Information

Not Regulated

Section 15 - Regulatory Information

SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

Ingredient Name	CAS Number	Percent
ALUMINUM, AS METAL	007429-90-5	8

All ingredients in this product are listed in the T.S.C.A. Inventory.

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR (Canada)

Weight loss is less than one percent when using US EPA Federal Reference Method 24 (ASTM D2369). This weight loss is mostly water (ASTM D4107) with a trace amount of organic material. This trace amount should be considered Volatile Organic Compound (VOC) Content.

Section 16 - Other Information

HMIS Rating: Health=1* Fire=1 Reactivity=0 PPE=E
NFPA 704 Rating: Health=1 Fire=1 Reactivity=0
Rating Definitions:
Health 1-Slight hazard, irritation possible

MSDS

PFA631B7050

MATERIAL SAFETY DATA SHEET

Product name: FF SUPER SILVER II

Product code: PFA631B7050

Product date: SEP 23 2009

Print date: 03/25/11

Page 6

Health *-Long term health effects may result from repeated
 overexposure

Fire 1-Slight hazard, needs considerable preheat before combus-
 tion will occur

Reactivity 0-Minimal hazard, materials are normally stable

PPE E-ANSI, Z87 approved safety glasses, gloves, negative
pressure or particulate respirators

Other Definitions:

MEC (sec. 5) = Minimum Explosive Concentration

This manual has been provided courtesy of
My RV Works, Inc.

www.myrvworks.com



You can find more RV service manuals here:

www.myrvworks.com/manuals

Over the years of running a mobile RV repair service, having a dedicated place to access service manuals for all the different appliances and components found on RVs was something that I always had a desire to create.

I hope this resource makes your RV repairs easier, as it has mine, but please be careful and follow proper safety practices when attempting to repair your own RV.

If in doubt, please consult with a professional RV technician!



DARREN KOEPP - OWNER, MY RV WORKS, INC.

All service manuals provided on www.myrvworks.com are believed to be released for distribution and/or in the public domain.