


A&E 9000, 8500 & 8000 AWNING UNIVERSAL HARDWARE LIST

**UNIVERSAL SATIN
 FINISH HARDWARE
 PART NO. 838000C(XXX)**


**UNIVERSAL CHROME
 FINISH HARDWARE
 PART NO. 839000C(XXX)**

**UNIVERSAL CREAM
 FINISH HARDWARE
 PART NO. 838000C5(XX)+**


This list is intended for use only as a guide in selecting proper Hardware for a vehicle. All of the illustrations are views seen from the front of the vehicles and are not necessarily to scale. Some models of some vehicles will vary due to manufacturing options, year of vehicle, awning rail placement, doors, windows, etc.. Because of this possible variation, and length of awning being used, it is necessary to check the Hardware for proper fit against the vehicle, before beginning installation.




**-001 Standard
 Straight Side**
 For all straight, flat sided Recreational Vehicles with Floorline to Awning Rail dimensions 76" and over.
 Main Arm Length: 73"




**-002 Short
 Straight Side**
 For all straight, flat sided RVs with Floorline to Awning Rail dimensions between 69" and 76" Executive. Pioneer, Super Coach, Kings Highway, Landau, Apollo, Pace Arrow, American Clipper, Honey and others.
 Main Arm Length: 66"




**-003 Tall
 Straight Side
 with Raised
 Floorline**
 For all straight flat sided RVs with Floorline* to Awning Rail dimensions 79" and over. Also for RVs with the above dimensions and with a Ground to Floorline dimension up to 44". Fleetwood Bounder, George Boy Lean Machine 32' & 34', Cruise Air II (Raised Floor) 32', 34' & 36', Winnebago Chalet 34', & Itasca Adventurer
 Main Arm Length: 76"



**-030 Ultra
 Short**
 For all straight, flat sided Recreational Vehicles with Floorline* to Awning Rail dimensions from 64"- to 69"
 FMC 2900 R
 Main Arm Length: 61"




**-035 Standard
 Straight Side
 with Raised
 Floorline**
 For all straight flat sided RVs with Floorline to Awning Rail dimensions between 73 and 79" and with a ground to Floorline dimension up to 44". Southwind 31' & 34', & Pace Arrow 31' & 34' Airex
 Main Arm Length: 70"



**-004 Curved
 Roof Straight
 Side**
 For flat sided RVs with Awning Rails along curved roofs. 1966 Argosy, Superior, Avco, Blue Bird, Chinook, Newell, Revcon, Gran Siam, Travel Queen Mini (curved roof) i964 & Newer Champion Flagship and converted buses with same roof curvature.
 Main Arm Length 70"




**-005
 Sportscoach
 (with curved
 side) &
 Vacationer Mini**
**CUSTOM
 ORDER**
 Main Arm Length: 76"



**-006
 GMC/WMC**
 Main Arm Length: 66"


NOTE: One set of Hardware Assembly (for Left and Right) consists of Main Arms, Rafter Arms, Adjustable Arms, Top and Bottom Brackets, plus necessary screws and washers.
 The 0 immediately following the dash (-) indicates Regular Duty Hardware. For Heavy-Duty Hardware, use 1 (instead of 0) after the dash.
 Cream Finish for straight hardware only. Replace () with last two digits of hardware number.
 *Floorline, or other structural members where the Bottom Brackets can be mounted solidly.



-007
Apalache

CUSTOM ORDER


Main Arm Length: 76"



-008
Majestic Discoverer (Rectrans)

CUSTOM ORDER

Main Arm Length: 70"



-009
Titan, Concord & Champion Mini Motorhomes


Main Arm Length: 70"



-011
Travco 27' (1972 & older)
NOTE: Left and Right Arm?. DO NOT MATCH.


CUSTOM ORDER

Main Arm Length: 76"




-012
Travco 27' (1973 & newer)
NOTE: Left and Right Arms DO NOT MATCH

Main Arm Length: 76"




-013
Cabana, Winnebago Warrior, Itasca Spectrum, Leocraft, Big Foot & Automate-Royal, Van Guard

Main Arm Length: 63"




-014
Avion & Avion Mini London- aire 5th Wheel

Main Arm Length: 70"




-015
Airstream & Argosy (Thru 1965)

Main Arm Length: 76"



-016
Silver Streak (1969 & newer) & Streamline


Main Arm Length: 76"



-017
Born Free Mini Sunraider-classic

CUSTOM ORDER


Main Arm Length: 64"



-018
Champion Flagship (1983 & older) & Unik

CUSTOM ORDER


Main Arm Length: 64"



-019
Airstream Minuet, Argosy Minu


CUSTOM ORDER

Main Arm Length: 70"



022
Travco Lesprit, 1979 Winnebago Travel Trailers, Southwind (Eagle) & Pace Arrow (Eleganza) Winnebago 621, Itasca Sundancer (See also -029)


Main Arm Length: 64"



-023
Brougham Renaissance & Itasca Seafarer


CUSTOM ORDER

Main Arm Length: 70"



-024
Chevy Trans Van, Transmaster (GBX), Winnebago Lesharo & Itasca Phasar Frontier, London-aire mini, Eldorado Foreza

Main Arm Length: 52 1/2"




-026
Brougham Travel Van ("L" Body Only) Travel Craft

Main Arm Length: 60 1/4"

NOTE: One set of Hardware Assembly (for Left and Right) consists of Main Arms, Rafter Arms, Adjustable Arms, Top and Bottom Brackets, plus necessary screws and washers. The 0 immediately following the dash (-) indicates Regular Duty Hardware. For Heavy-Duty Hardware, use 1 (instead of 0) after the dash.


Cream Finish for straight hardware only. Replace () with last two digits of hardware number.

*Floorline, or other structural members where the Bottom Brackets can be mounted solidly.




-027
Brougham
Travel van ("K",
"R" or "x"
Body Only),
Champion-
Transtar &
Champion-
Telstar,
Eldorado (wide
body)

Main Arm
Length: 61"




-028
Swinger by
Georgie Boy

Main Arm
Length: 66"




-029
Winnebago
Elandan (1966
& older), Itasca
Windcruiser
(1996 & older),
Winnebago 621,
& Itasca
Sundancer

Main Arm
Length: 61"




-031
1965%
Silverstreak-
Sterling
1977 Sil-
verstreak
Motorhome

Main Arm
Length: 76"



-033
Apalache
Astral (1965
& Newer)

Main Arm
Length: 73



-034
1967 & Newer.
Winnebago
Elandan &
Itasca
Windcruiser

Main Arm
Length: 59"

- 036
CHAMPION
ULTRA STAR
(NEW BODY STYLE)

NOTE: One set of Hardware Assembly (for Left and Right) consists of Main Arms, Rafter Arms, Adjustable Arms, Top and Bottom Brackets, plus necessary screws and washers.
The 0 immediately following the dash (-) indicates Regular Duty Hardware. For Heavy-Duty Hardware, use 1 (instead of 0) after the dash.
+Cream Finish for straight hardware only. Replace () with last two digits of hardware number.
'Floorline. or other structural members where the Bottom Brackets can be mounted solidly.

This manual has been provided courtesy of
My RV Works, Inc.

www.myrvworks.com



You can find more RV service manuals here:

www.myrvworks.com/manuals

Over the years of running a mobile RV repair service, having a dedicated place to access service manuals for all the different appliances and components found on RVs was something that I always had a desire to create.

I hope this resource makes your RV repairs easier, as it has mine, but please be careful and follow proper safety practices when attempting to repair your own RV.

If in doubt, please consult with a professional RV technician!



DARREN KOEPP - OWNER, MY RV WORKS, INC.

All service manuals provided on www.myrvworks.com are believed to be released for distribution and/or in the public domain.